



**Steven H. Reynolds, D.O.**  
Apex Innovative Sciences  
Collaborative Neuroscience Research, LLC  
Collaborative Neuroscience Network, LLC  
2600 Redondo Avenue, Suites 415 & 500  
Long Beach, CA 90806

**CONTACT INFORMATION:**

Site Selection and Information:  
Bobbie Theodore, Alliance Director  
Tel. (916) 939-6696  
Fax (208) 575-3169  
Email: clinicaltrials@alliancesites.com

**AFFILIATIONS:**

Collaborative Neuroscience Research, LLC  
Collaborative Neuroscience Network, LLC  
19401 S. Vermont Avenue, Suite F-100  
Torrance, CA 90502

Collaborative Neuroscience Research, LLC  
Collaborative Neuroscience Network, LLC  
12772 Valley View Street, Suite 3  
Garden Grove, CA 92845

Ocean View Psychiatric Health Facility  
2600 Redondo Avenue, Suite 500  
Long Beach, CA 90806

**EDUCATION:**

1992, Degree: D.O.  
Midwestern University, Chicago College of Osteopathic Medicine

1984, Degree: Microbiology  
San Diego State University

**RESIDENCIES:**

Residency in Family Medicine  
Chief Resident, Inpatient Medicine, 1995  
Residency, 1992- June 1995

**CERTIFICATION AND LICENSURE:**

Certified by the American Board of Family Practice  
American College of Occupational and Environmental Medicine (ACOEM)  
Licensed Osteopathic Physician and Surgeon, State of California, License No. 20A6475

**PROFESSIONAL EXPERIENCE:**

*Investigator*, 2019 - Present  
Apex Innovative Sciences

*Investigator*, 2010 – Present  
Collaborative Neuroscience Research, LLC, Long Beach, CA  
Collaborative Neuroscience Network, LLC, Long Beach, CA

*Private Practice*, 2018-Present  
Naples Medical Group Long Beach, CA

*Staff Physician*, 2010 – Present  
Ocean View Psychiatric Health Facility, Long Beach, CA

*Medical Review Officers*, 2009 – Present  
ACOEM Certified at Central Drug Systems

*Private Practice*, 2005 – 2018  
Family Health Care of Long Beach, CA

*Teaching Faculty*, 1996 – Present  
Long Beach Memorial Family Medicine Residency, Long Beach, CA

*Active Staff*, 1995 – Present  
Long Beach Memorial Medical Center, Miller Children’s Hospital and Memorial Women’s Hospital, Long Beach, CA

*Associate Professor*, 1995 – Present  
University of Irvine College of Medicine, Department of Family Medicine, Irvine, CA

*Police Surgeon and Consultant*, 1994 – Present  
City of Long Beach Police Department, Long Beach, CA

**Continued Experience:**

Marina Family Medicine 2006 – 2008  
Seal Beach Family Medical Group 1995 – 2006  
*Contract Physician* for Long Beach Memorial Urgent Care 1995- 1996  
*Contract Physician* for Manhattan Beach Care Station, 1994 – 1995  
*Contract Physician* for Los Alamitos Family Medical Group, 1995

**INVESTIGATOR EXPERIENCE:**

Phase I • Alzheimer's Disease • Anemia • Asian Bridging • Asthma • Bioequivalence  
Bipolar Disorder • Chronic Pain • Constipation • Crohn's Disease • Dementia • Depression  
Device • Diabetes (Type II) • Digital • Driving Simulation • Epilepsy • Friedreich's Ataxia  
Healthy • Hypercholesterolemia • Irritable Bowel Syndrome • Migraine  
Mild Cognitive Impairment • Multiple Sclerosis • Neuropathic Pain  
Painful Lumbar Radiculopathy • Parkinson's Disease • Opioid-Induced Constipation  
Osteoarthritis • Schizophrenia • Men's and Women's Health

**ADDITIONAL TREATMENT EXPERIENCE:**

Acid Reflux • Dyslipidemia • High Blood Pressure • Hepatic and Renal Impaired • Hepatitis C  
Hyperlipidemia • Hypertension • Influenza • Obesity • Rheumatoid Arthritis • Vaccine

**CLINICAL TRIAL EXPERIENCE:**

***PHASE I***

***Phase I Alzheimer's Disease /Mild Cognitive Impairment***

A Single-Dose and Multiple-Dose, Dose-Escalation Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Pharmacodynamics of XXX in Healthy Subjects and Patients with Alzheimer's Disease

A Phase Ib Study of the Pharmacokinetics and Safety of XXX in Subjects with Mild Alzheimer's Disease who are Heterozygous or Homozygous for the  $\epsilon 4$  Variant of the Apolipoprotein E Gene (APOE 4 Carriers)

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Multiple Dose, Dose Escalation Study of XXX in Patients with Probable Alzheimer's Disease

A Randomized, Double-Blind, Placebo-Controlled, Phase Ib, Safety, Tolerability, and Pharmacokinetic Study of Multiple Ascending Doses of XXX in Patients with Mild Alzheimer's Disease

A Phase I XXX Assay development using blood specimens from clinically diagnosed Alzheimer's disease subjects and healthy, cognitively intact control subjects

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Single- and Multiple-Ascending Dose Study to Assess the Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of XXX in Subjects with Mild to Moderate Alzheimer's Disease

A Phase I Recovery of Naturally Occurring Human Tau Antibodies

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Phase Ib, Randomized, Double-Blinded, Placebo-Controlled, Multiple-Dose Study to Assess the Safety, Tolerability, Pharmacokinetics, and Pharmacodynamics of XXX in Subjects with Mild or Prodromal Alzheimer's Disease

A Phase I, Single-Dose and Multiple-Dose, Dose-Escalation Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX in Patients with Mild Cognitive Impairment due to Alzheimer's Disease or Mild to Moderate Alzheimer's Disease

A Phase Ib/II study to assess the Safety, Tolerability, and (CSF) Pharmacodynamic Effects of XXX in patients with mild cognitive impairment (MCI) due to Alzheimer's Disease (AD) and mild Alzheimer's Disease (AD)

A Phase Ib, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group, Multicenter Study to Determine the Safety, Tolerability, Pharmacokinetics, and Brain Metabolic Response, Using FDG PET, Following Administration of XXX Added to Standard of Care (Donepezil ± Memantine) in Participants with Mild to Moderate Alzheimer's Disease

A Phase I, Multi-Center, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate Effects of Multiple Doses of XXX on Cerebrospinal Fluid Biomarkers, Connectivity Magnetic Resonance Imaging, and Computerized Cognitive Tests in Subjects with Mild Alzheimer's Disease

A Phase I, Randomized, Double-blind, Placebo-controlled, Combined Single Ascending Dose and Multiple Ascending Dose Study to Assess Safety, Tolerability, Immunogenicity, Pharmacodynamic Response, and Pharmacokinetics of Intravenous Infusions of XXX in Subjects With Mild to Moderate Alzheimer's disease

A Phase I, Double-Blind, Randomized, Placebo-Controlled, Multiple, Escalating Dose Study to Evaluate the Safety, Tolerability and Pharmacokinetics of XXX in Elderly Volunteers and in Subjects With Mild Alzheimer's Disease

***Phase I Depression***

A Phase I Randomized, Double-Blind, Placebo-Controlled Study of the Safety, Tolerability, Pharmacokinetics and Preliminary Efficacy of Single Doses of XXX in Healthy Volunteers and Subjects with Treatment-Resistant Depression

A Phase I, Randomized, Double-blind, Controlled, 6-week Pilot Trial to Assess the Impact of Novel Digital Interventions Designed to Improve Cognitive Dysfunction as Adjunct Therapy to Antidepressant Medication in Adults with Major Depressive Disorder (MDD)

A Phase I, Double-blind, Placebo-controlled, Single- and Multiple-Dose Study of XXX in Adult Participants with Major Depressive Disorder

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase I, Single-center, Randomized, Investigator/ Subject-blind, Placebo-controlled, Multiple-ascending Dose, Semi-sequential Adaptive Study to Investigate the Safety, Tolerability and Pharmacokinetics of XXX Following Oral Administration in Healthy Subjects and in Patients with Major Depressive Disorder

A Phase I, multi-center, randomized, double-blind placebo-controlled study to assess the safety, tolerability, and pharmacokinetics of ascending high doses of xxx as adjunctive therapy in the treatment of subjects with major depressive disorder

A Phase I, Randomized, Double-Blind, Placebo-Controlled Study of Safety and Pharmacodynamic Effects of XXX in Major Depressive Disorder Subjects

A Phase I, Single-center, Randomized, Double-blind, Placebo-controlled Study to Assess the Safety, Tolerability, and Pharmacokinetics of Ascending Multiple Oral Doses of XXX as Adjunctive Therapy in the Treatment of Patients with Major Depressive Disorder

***Phase I Healthy Japanese Bridging***

A Phase I, Randomized, Double-blind, Placebo-controlled Trial to Assess the Tolerability, Safety, and Pharmacokinetics of Ascending Multiple Oral Tablet Doses of XXX in Healthy Subjects of Japanese and Non-Japanese Origin

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Multiple-Ascending Dose (Part A) and Single Dose Food Effect (Part B) Study to Assess the Safety, Tolerability, and Pharmacokinetics of XXX in Healthy Subjects

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Multiple-Dose Study to Assess the Safety, Tolerability, and Pharmacokinetics of XXX in Healthy Japanese and Non-Japanese Participants

A Phase I, Randomized, Double-blind, Placebo-controlled Trial to Assess the Tolerability, Safety, and Pharmacokinetics of Ascending Single Oral Tablet Doses of XXX in Healthy Subjects and in Healthy Japanese Subjects and the Effect of a High-Fat Meal

A Phase Ib, Randomized, Controlled, Double-blind Trial to Evaluate the Safety and Immunogenicity of Multivalent Pneumococcal Conjugate Vaccines in Healthy Japanese Adults Aged 18 to 49 Years

A Phase I Investigator/Subject Blind, Randomized, Placebo-controlled Study to Investigate the Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of Single Doses of XXX in Healthy Japanese Subjects

A Phase I Rising Single and Multiple Dose Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX in Healthy Adult Japanese Subjects

**CLINICAL RESEARCH EXPERIENCE (continued):**

***Phase I Healthy Normal***

A Phase I, Non-randomized, Open-label, 4-period, Crossover Study to Evaluate Single Escalating Doses of XXX Nasal Gel F2 Formulation in Healthy Volunteers

A Phase I, Randomized, Cross-over, 2-Period, Drug-Drug Interaction Study Evaluating the Pharmacokinetics of XXX When Administered With or Without XXX

A Phase I Study to Evaluate the Effects of XXX on the Pharmacokinetics, Safety, and Tolerability of XXX

A Phase I, Randomized, 3-Period, Crossover Study to Investigate the Effects of XXX on Measures of Drowsiness and Cognitive Function Compared to XXX and Placebo

A randomized, placebo-controlled, double blind, single ascending and multiple ascending dose study to assess the safety, pharmacokinetics and pharmacodynamics of XXX in healthy volunteers and sickle cell disease patients (a first-in-human (FIH), Phase 1 study) and Open Label Extension.

A Placebo-Controlled, Double-Blind, Single Ascending Dose Study to Evaluate the Safety, Tolerability and Pharmacokinetic Profile of XXX in Healthy Volunteers

A Phase I, Placebo-Controlled, Double-Blind, Single Ascending Dose Study to Evaluate the Safety, Tolerability and Pharmacokinetic Profile of XXX in Healthy Volunteers

A Phase I, Randomized, Double-Blind, Double-Dummy, Placebo-Controlled, 5-Period, Crossover Study Assessing the Effects of XXX Compared to XXX, XXX and Placebo on Simulated Driving Performance in Normal Healthy Participants

A Phase I, Randomized, Double-blind, Placebo-controlled Parallel Group Study of Multiple Doses of XXX Challenge, to Evaluate the Electrophysiology. Safety, Tolerability and Pharmacokinetics in Healthy Subjects

A Phase I Double-blind, Placebo-controlled Crossover Study of XXX Using Ketamine Challenge, to Evaluate Safety, Tolerability, Pharmacokinetics and Pharmacodynamic Response Using PET Imaging in Healthy Subjects

A Phase I Double-blind, Placebo-Controlled, Multiple Ascending Dose Study to Determine the Safety, Tolerability and Pharmacokinetics of XXX Oral Solution in Healthy Adults

A Phase I, Double-blind, Placebo-controlled, Crossover Study of XXX Using a Ketamine Challenge to Evaluate the Electrophysiology, Safety, Tolerability, and Pharmacokinetics in Healthy Subjects

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Phase I Open-label, Dose-escalating, Non-randomized, Single-Center Study to Determine the Safety and Pharmacokinetic Profiles of XXX in Healthy Volunteers

A Phase I, Double-blind, Placebo-controlled Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of Single Doses of XXX in Healthy Adults and in Adults with ALS

A Phase I, Randomized, Open-label, Single-Dose, Two-Way Crossover Study to Assess the Relative Bioavailability of 5 mg of XXX vs. XXX in Healthy Subjects Followed by a Phase to Study Food Effect on the PK Profile of XXX

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Single Ascending Dose Study to Assess the Safety, Tolerability, and Pharmacokinetics of XXX in Healthy Subjects

A Phase I Single Dose Crossover Comparative Bioavailability and Food Effect Study of a New Formulations of XXX vs. the Original Fixed-Dose Combination Formulation of XXX and XXX in Healthy Male Volunteers

A Phase I, Open-Label, Randomized, 2-Way Crossover, Pilot Trial to Assess the Bioequivalence of Oral Doses of XXX versus XXX Tablets in Healthy Subjects

A Phase I, Double-Blind, Placebo-Controlled, Randomized, 2 Stage, 2 Way Crossover Study of a Single Oral Dose of XXX in Healthy Adult Subjects

A Phase I Study of the Safety, Tolerability and Pharmacokinetics of XXX in Healthy Normal Volunteers

A Phase I, combined single and multiple rising dose study of the safety and pharmacokinetics of XXX combination

A Phase I / II, randomized, double-blind, placebo-controlled study to assess the effect of 3 month multiple oral doses of XXX on safety, tolerability, pharmacokinetics and pharmacodynamics in healthy elderly subjects

A Randomized, Double Blind, Placebo Controlled Trial to Study Difference in Cognitive Learning Associated with Repeated Self-Administration of Remote Computer Tablet-Based Application Assessing Dual-Task Performance Based on Amyloid Status in Healthy Elderly Volunteers

A Phase I, Reliability and validity of an online neurocognitive test battery, the XXX Test, in normal healthy adults

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase I uncontrolled, sequential cohort study in healthy subjects to assess the safety and tolerability of multiple-dose administration of XXX, assess the pharmacokinetics (PK) of XXX following multiple-dose administration, and assess the effect of dose titration schedules on the tolerability of XXX in healthy male subjects

A Phase I, prospective, randomized, double-blind, placebo-controlled, sequential-cohort, escalating, single-dose study designed to determine the maximum tolerated oral dose of XXX in healthy, male volunteers

***Phase I Multiple Sclerosis***

A Phase I, Multicenter, Randomized, 12-Week, Open-Label Study to Evaluate the Multiple-Dose Pharmacokinetics and Pharmacodynamics of XXX in Patients with Relapsing Multiple Sclerosis

A Phase I Double-Blind, Placebo-Controlled, Single Ascending Dose Intravenous Infusion Study of XXX in Subjects with Multiple Sclerosis Immediately Following a Relapse

A Phase I, Double-Blind, Placebo-Controlled, Single Ascending Intravenous Infusion Study of XXX in Patients with Multiple Sclerosis

A Phase I, Multi-center, Open-Label Dose Escalation Study to Evaluate the Safety, Tolerability and Pharmacodynamic Activity of Intravenous XXX in subjects with Multiple Sclerosis

***Phase I Parkinson's Disease***

A Phase I Randomized multi-center, open-label, crossover pharmacokinetic study of XXX and an oral dose of XXX under fed conditions in patients with Parkinson's Disease

A Phase Ib, Multicenter, Randomized, Placebo-controlled, Double-blind Study to Determine the Safety, Tolerability, Pharmacokinetics, and Pharmacodynamics of XXX in Subjects with Parkinson's Disease

A Phase I, Open-Label Study to Assess the Pharmacokinetics, Pharmacodynamics, Safety and Tolerability of Repeated Doses of XXX, and Effect on Levodopa Pharmacokinetics, in Subjects with Parkinson's Disease

A Phase I, Double-Blind, Placebo-Controlled Study to Determine Safety, Tolerability, Pharmacokinetics of XXX at Multiple Ascending Dose in Subjects with Parkinson's Disease

A Phase I, Double-blind, Sponsor Open, Randomized, Placebo-controlled, Single Ascending Dose Study to Investigate the Safety, Tolerability, and Pharmacokinetics of XXX Co-Administered with XXX in Subjects with Idiopathic Parkinson's Disease



**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase Ib, 2-Period, Open Label, Multicenter, Dose Escalation Study to Evaluate the Safety, Tolerability, Pharmacokinetics and Pharmacodynamics of XXX In Subjects with Parkinson's Disease and Motor Fluctuations

A Phase I, Randomized, Double-blinded, Multiple Ascending Dose Study in Patients with Early-stage Parkinson's Disease to Evaluate the Pharmacokinetics and Safety of XXX Following Intramuscular Injections

A Phase I, randomized, double-blinded, multiple ascending dose study in patients with early-stage Parkinson's disease to evaluate the pharmacokinetics and safety of XXX following intramuscular injections

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Multiple Ascending Dose Study of XXX Administered By Intravenous Infusion in Patients with Parkinson's Disease

A Phase I, Open-Label, Single Group, Multiple-Dose, Study to Evaluate the Pharmacokinetics of XXX following 24-hr Application in Patients Diagnosed with Parkinson's Disease

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Ascending Dose Study of Safety and Tolerability of XXX in Adult Patients with Parkinson's Disease Who Are Receiving XXX Advanced Parkinson's Disease

***Phase I Schizophrenia***

An Open-label, Single- and Multiple-dose, Pharmacokinetic, Safety, and Tolerability Trial of XXX Administered in the Deltoid or Gluteal Muscle in Adult Subjects with Schizophrenia or Bipolar I Disorder

A Phase I, Open Label, Parallel-Design, Single Dose Study to Assess the Relative Bioavailability of XXX Extended-Release Suspension for Subcutaneous Administration XXX, in Vials compared to Prefilled Syringes, in Patients with Schizophrenia or Schizoaffective Disorder

A Phase I Randomized, Open-Label, Pilot Parallel Study To Determine The Relative Pharmacokinetic Characteristics Between XXX Versus Injectable Paliperidone Palmitate Following Different Dosing Regimens In Schizophrenia Alone Or As Use In Schizoaffective Disorders As An Adjunctive Therapy To Antidepressants

A Phase I Multicentre, Randomized, Open label, Steady state, Balanced, Two treatment, Two Period, Two-way Crossover, Bioequivalence Study Comparing XXX 6 mg capsule to the reference listed drug XXX capsule in patients with Bipolar I Disorder or Schizophrenia who are tolerating a stable dosing regimen of XXX 6 mg capsule once daily

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase I, 2-Part, Open-Label, Randomized, Crossover Pilot Trial to Assess the Relative Bioavailability of XXX versus XXX Oral Tablets in Subjects With Schizophrenia or Bipolar Disorder and 25-mg Oral Tablets in Healthy Subjects

A Phase I XXX Randomized, Double-blind, Crossover Study to Explore Dopamine Synthesis Capacity in the Whole Striatum after 2 weeks of Treatment with 150MG of XXX or Placebo in patients with Schizophrenia

A Pilot, Phase I, Randomized, Open Label, Parallel Group Study Assessing the Bioavailability of XXX vs. XXX in Adult Subjects with Schizophrenia and Schizoaffective Disorder

A Phase I Open-Label, One-Sequence Study to Evaluate the Steady-State Comparative Bioavailability of Injectable and Oral INVESTIGATIVE DRUG

A Phase I Randomized, Double-blind, Positive and Placebo-controlled, Four-Arm Crossover Study of the Effects of XXX at Therapeutic and Supra-therapeutic Doses, on the QTc Intervals in Schizophrenic Patients

A Phase I Investigational Study to Evaluate Adhesion of XXX in Adults with Schizophrenia

A Phase I, Randomized, Double-Blind, Placebo-Controlled, Single Ascending Dose Study with Long-Acting Injectable (LAI) XXX Formulation to Evaluate Safety, Tolerability, and Pharmacokinetics of XXX in Subjects with Schizophrenia, Schizoaffective Disorder, or Schizophreniform Disorder

A Phase Ib, Pivotal, Multiple-Dose, Pharmacokinetic Bioequivalence Trial Comparing Generic to Reference XXX Extended-Release Injectable Suspension (156 mg/1.0 mL) in Patients with Schizophrenia or Schizoaffective Disorder

A Phase I, XXX Device Performance Study

A Phase I, Randomized, Crossover, Open-Label, Multiple Dose, Pivotal Pharmacokinetic Bioequivalence Study Comparing XXX Extended-Release IM 156 mg/1 mL (100 mg eq) with XXX in Subjects with Schizophrenia or Schizoaffective Disorder

A Phase I Study to Evaluate the Effect of Multiple Doses of XXX on QTc Interval in Subjects with Schizophrenia

A Phase I Evaluation of the Effect of XXX on Cariprazine Exposure in Patients with Schizophrenia

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Phase I, Two-part, Open-label, Randomized, Exploratory and Single Ascending Dose, Parallel Arm Trial to Determine the Pharmacokinetics, Safety, and Tolerability of XXX Long-acting Injectable Administered Subcutaneously or Intramuscularly in Adult Subjects with Schizophrenia

A Phase I, Interventional, randomized, double-blind, parallel-group, active-control, multiple-dose study investigating the effect of XXX on cardiac repolarization in men and women with schizophrenia and schizoaffective disorder

A Phase I Randomized, Open-Label, Parallel Design, Multiple-Dose, Comparative Bioequivalence Study of XXX Extended-Release Injectable Suspension (156 mg/1.0 mL) Versus XXX Extended-Release Injectable Suspension (156 mg/1.0 mL) in Schizophrenia Patients Already Stabilized on XXX

A Phase I, Study to Evaluate the Effects of XXX on the Pharmacokinetic of XXX, in patients with Stable Schizophrenia

A Phase I Study to Evaluate the Effects of XXX-Mediated Inhibition on the Pharmacokinetics, Safety, and Tolerability of XXX in Patients with Stable Schizophrenia

A Phase I, Multicenter, Randomized, Double-blind, Placebo-controlled, Crossover Trial to Evaluate the Effects of XXX in Patients with Negative Symptoms of Schizophrenia of Schizophrenia treated with Antipsychotics

A Phase I, Pilot, 20-Week, Open-Label, Randomized, Single-Dose, Two-Treatment, Crossover Study of XXX Long-Acting Injection, 25 mg and XXX, 25 mg in Male and Female Schizophrenic Subjects

A Phase I, Double-blind, Placebo-controlled, Multiple Ascending Dose Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX in Subjects with Schizophrenia

A Phase I, Open-Label, Randomized, Multiple Dose, Safety and Pharmacokinetic Trial with Injectable XXX Compared to XXX in Patients with Chronic, Stable Schizophrenia or Schizoaffective Disorder

A Phase I, Open-Label, Single-Dose Study to Evaluate the Pharmacokinetics, Safety, and Tolerability of Two Different Molecular Weights (Low, and High Molecular Weights as Test Treatments) of XXX Compared to Intermediate Molecular Weight (Reference Treatment) of XXX in Treatment-Seeking Subjects with Schizophrenia

A Phase I Study of XXX and XXX Co-administered with XXX in Adults with Schizophrenia

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Phase I, Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX Following Administration to the Deltoid or Gluteal Muscle in Adults with Schizophrenia or Schizoaffective Disorder

A Randomized, Double-blind, Placebo-controlled, Sponsor Open Parallel Group Phase Ib Study to Examine the Safety, Tolerability and Pharmacokinetics of Multiple Ascending Doses of XXX in Psychiatrically Stable Subjects with Schizophrenia

A Phase I, Randomized, Open-label, Study Evaluating the Pharmacokinetics, safety and tolerability of XXX when administered at 4-, 6-, and 8-week intervals to subjects with Stable Schizophrenia

A Phase I, Placebo-Controlled, Double-Blind, Ascending-Dose Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX Alone and in Combination with XXX in Subjects with Chronic Stable Schizophrenia

A Phase I, Randomized, Open-Label, Parallel-Group Study to Assess the Relative Bioavailability of XXX and XXX at 25 mg Following Multiple Intramuscular Injections in Stable Patients With Schizophrenia or Schizoaffective Disorder

A Phase I, Double blind, randomized, multiple ascending dose safety, tolerability and pharmacokinetics study in patients with schizophrenia on a stable anti-psychotic regimen (other than XXX )

A Phase Ib, Open-Label Observational Pilot Study to Evaluate the Pharmacokinetics of XXX in Subjects with Bipolar I Disorder or Schizophrenia who have a History of Suboptimal Adherence and are Currently on Treatment with Oral XXX

A Phase I, Randomized, Single Blind, Placebo Controlled, Ascending Multiple Oral Dose Study Assessing the Safety, Tolerability, and Pharmacokinetics of XXX in Male and Female Subjects with Schizophrenia

A Phase I, Randomized Single-Blind, Placebo-Controlled, Ascending Single Oral Dose Study Assessing the Safety, Tolerability, and Pharmacokinetics of XXX in Male and Female Subjects with Schizophrenia

A Phase I, randomized, double-blind, placebo-controlled, sequential dose escalation cohort study to evaluate the safety, tolerability, and pharmacokinetics of XXX in psychiatrically stable schizophrenia subjects

A Phase I, open-label, randomized, two treatment, multiple dose, steady state, three-way crossover in vivo, pharmacokinetic study to determine the bioequivalence between XXX and XXX

**CLINICAL RESEARCH EXPERIENCE** *(continued)*:

A Phase I, Open-label, Multiple Dose, Safety and Tolerability Study of XXX IM Depot Administered in the Deltoid Muscle in Adult Subjects with Schizophrenia

A Phase I, Randomized, Double-blind, Placebo-controlled, Multiple-dose Study to Evaluate the Safety and Tolerability of XXX Following Deltoid Administration in Subjects with Chronic Stable Schizophrenia

A Phase I, Placebo-and Positive-controlled Study of the Electrophysiological Effects on the QT Interval after a Supratherapeutic Dose of XXX in Subjects with Schizophrenia

A Phase I, Open-label, Randomized, Parallel Arm, Bioavailability Study of XXX IM Depot Administered in the Deltoid or Gluteal Muscle in Adult Subjects with Schizophrenia

A Phase I, trial to evaluate the safety and tolerability of XXX IM depot treatment initiation in adult subjects with schizophrenia stabilized on atypical oral antipsychotics other than XXX

A Phase I, Multicenter, Randomized, Double-blind, Placebo-controlled Study to Assess the Safety, Tolerability and Pharmacokinetics of Ascending, Multiple Oral Doses of XXX in Clinically Stable Adults with Schizophrenia

A Randomized, Double-Blind, Placebo-controlled, Sponsor Open, Phase Ib Study to Examine the Safety, Tolerability and Pharmacokinetics of XXX in Psychiatrically Stable Subjects with Schizophrenia

A Phase I, Multi-center, Randomized, Double-Blind, Comparator-Controlled Study to Assess the Tolerability, Safety, Efficacy, and Pharmacokinetics of Ascending Multiple Oral Doses of XXX in Adult Subjects with a Diagnosis of Schizophrenia or Schizoaffective Disorder

A Phase I Two-Period, Two-Treatment, Open-Label, Two-Way Steady-State Crossover Bioequivalence Study of XXX Extended Release Tablets Under Fasting Conditions in Patients

A Phase I, Open-label parallel arm multiple dose tolerability, pharmacokinetics and safety study in adult patients with Schizophrenia following administration of XXX IM depot formulation once every four weeks

A Phase I, Parallel-group, Double-blind, Placebo and Positive Controlled Multiple Oral Dose Administration Trial to Evaluate the Effects of XXX on QT/QTc in Subjects with Schizophrenia or Schizoaffective Disorder

A Phase I, Evaluation of The Effects of Sequential Multiple-Dose Regimens of XXX on Cardiac Replolarization in Patients with Schizophrenia

A Phase I, 2-part, open label, inpatient study to assess the safety and tolerability of multiple ascending doses of XXX in subjects with schizophrenia

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase I Study Investigating the Potential Interaction between XXX and Antipsychotic Treatments in Subjects with Schizophrenia or Schizoaffective Disorder

***Phase I Other Indications***

A Phase I, Single-Ascending and Repeat-Dose Study to Evaluate the Safety, Tolerability, Pharmacokinetics, and Pharmacodynamics of XXX in participants with dyslipidemia (Part A and B)

A Phase I, Study to Facilitate Discussion Sessions Between Individual Patients and Sponsor's Staff to Understand the Experience of their Medical Condition and Elicit Feedback on Potential Product Designs AND Assist with Establishing a Patient Advisory Panel for Regular Feedback on Prototypes of Product Designs and Features on a Recurring Basis

A Phase I, Driving Simulation Cross-Over Study of Sedative Effects of XXX Compared to XXX and Placebo

A Phase I, Randomized, Double-blind, controlled study to assess the Safety, Tolerability, and Pharmacokinetics of XXX in Patients with Friedreich's Ataxia

A Phase I, Open-Label, Pharmacokinetic Study to Evaluate the Steady-State Venous and Capillary Plasma Concentrations of Five Antipsychotics: XXX, XXX, XXX, XXX, and XXX

A Phase I, Two-Period, Two Treatment, Two-Way Steady-State Crossover Bioequivalence Study of XXX Tablets under Fasting Conditions

A Phase Ib, Parallel Group, Double-Blind, Randomized, Placebo Controlled to Evaluate the Safety, Pharmacokinetics, and Efficacy of a Single Dose of XXX Administered Intravenously in Patients with Frequent Episodic Migraines

A Phase I, Open-Label, Randomized, Parallel Group, Crossover Study to Compare the Pharmacokinetics of XXX in Migraine Subjects During an Acute Migraine Attack and During a Non-Migraine Period

***PHASE II-IV***

***Alzheimer's Disease***

A Phase II Prospective, Randomized, Double-Blind, Dose-Comparison Concurrent Control Study to Assess the Safety and Tolerability of XXX Infusions in Subjects with Mild to Moderate Alzheimer's Disease

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase III Multi-center, Randomized, Placebo-Controlled, Double-Blind, Twelve-Month Safety and Efficacy Study Evaluating XXX in Patients with Mild-to-Moderate Alzheimer's Disease  
XXX

A 24 Week Open-Label Extension to Study XXX

A 24 Week, Prospective, Randomized, Parallel-Group, Double-Blind, Multi-center Study Comparing the Effects of XXX vs. XXX on Activities of Daily Living and Cognition in Patients with Severe Dementia of the Alzheimer's Type (ACTION)

A Phase IIa, Multi-center, Randomized, Double-Blind, Placebo Controlled Study to Investigate Efficacy and Safety of XXX in Patients with Mild to Moderate Alzheimer's disease

A Phase III, Multi-center, Parallel-Group, Long Term Safety and Tolerability Treatment Trial of XXX in Subjects with Alzheimer's Disease Who Participated in Study XXX or in Study XXX

A Phase III, Multi-center, Randomized, Double-Blind, Placebo-Controlled, Parallel Group, Efficacy and Safety Trial of XXX in Patients with Mild to Moderate Alzheimer's Disease who are Apolipoprotein E 4 Non-Carriers AND A Phase III, Multi-center, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Efficacy and Safety Trial of XXX in Subjects With Mild to Moderate Alzheimer Disease Who Are Apolipoprotein E4 Carriers

A 28-Week Open Label Extension Study Evaluating the Safety and Tolerability of XXX in Subjects with Mild Cognitive Impairment

A Randomized Controlled Trial to Assess the Efficacy of a Medical Food in Patients with Mild to Moderate Alzheimer's Disease using Alzheimer's Disease Medication

A Multi-center, Randomized, Double-Blind, Placebo-Controlled Study of the Safety, Tolerability, Pharmacodynamic and Pharmacokinetic Effects of XXX in the Treatment of Patients with Prodromal Alzheimer's Disease

***Bipolar Disorder***

A Double-Blind, Placebo-Controlled, Parallel-Group, Fixed-Dosage Study to Evaluate the Efficacy and Safety of XXX Treatment (150 and 200 mg/day) as Adjunctive Therapy in Adults With Major Depression Associated With Bipolar I Disorder

A Long-Term Open-Label Study of the Safety and Tolerability of XXX in Patients with Bipolar I Disorder

A 24-Week, Flexible-Dose, Open-Label Extension Study of XXX for the Treatment of Bipolar I Depression

**CLINICAL RESEARCH EXPERIENCE (continued):**

A 6-Month, Open-Label, Flexible-Dosage (150-200 mg/day) Extension Study of the Safety and Efficacy of XXX Treatment as Adjunctive Therapy in Adults With Major Depression Associated With Bipolar I Disorder

***Depression***

A Phase IIa Study to Compare the Safety, Tolerability and Initial Efficacy of XXX IR, given with XXX in Patients with Major Depressive Disorder

A Double-Blind, Randomized, Multi-center, Placebo-Controlled, Relapse Prevention Study with XXX in Out-Patient Adults with Major Depressive Disorder

An 8-week, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group, Multi-center Study of the Efficacy and Safety of XXX Sublingual Tablets Administered Once Daily in Patients with Major Depressive Disorder (MDD)

A Double-Blind, Placebo-Controlled Study of XXX as Adjunctive Therapy in Major Depressive Disorder

A Double-Blind, Placebo-Controlled, Parallel-Group, Fixed-Dosage Study to Evaluate the Efficacy and Safety of XXX Treatment (150 and 200 mg/day) as Adjunctive Therapy in Adults with Major Depression Associated With Bipolar I Disorder

A Phase III, Randomized, Double-Blind, Parallel-Group, Placebo-Controlled, Fixed-Dose Study Comparing the Efficacy and Safety of 2 Doses (10 and 20 mg) of XXX in Acute Treatment of Adults with Major Depressive Disorder

A Phase III, Multi-center, Randomized, Double-Blind, Parallel Group, Placebo-Controlled, Long-Term Safety and Tolerability Study of XXX as an Adjunct to an Antidepressant in Patients with Major Depressive Disorder Who Exhibit an Inadequate response to Antidepressant Therapy

A Phase III, Multi-center, Randomized, Double-Blind, Parallel Group, Placebo-Controlled, Efficacy and Safety Study of 3 Fixed Dose Groups of XXX as an Adjunct to an Antidepressant in Patients with Major Depressive Disorder Who Exhibit an Inadequate Response to Antidepressant Therapy

A Phase IIa, Double Blind, Placebo-Controlled Study of the Efficacy and Safety of XXX Augmentation of Antidepressant Therapy in Major Depression

A Phase IIIb, 12-Week, Double-Blind, Placebo-Controlled, Multi-center Study Evaluating the Safety and Efficacy of XXX 1MG Bid for Smoking Cessation in Subjects with Depression



**CLINICAL RESEARCH EXPERIENCE (continued):**

***Diabetes***

A Phase III, Randomized, Double-Blind, Active-Controlled Study to Evaluate the Effects of XXX vs. XXX in Subjects with Type 2 Diabetes Mellitus Who Have Inadequate Glycemic Control by Metformin

A Multi-Center, Double-Blind, Randomized, Placebo-Controlled, Parallel Group, Add-on Study of XXX in Adults with Uncontrolled Type 2 Diabetes on Metformin Therapy

A Phase II, A Randomized, Double-blind, Parallel Group, Multicenter, Placebo-controlled, Dose-ranging Study to Evaluate the Glycemic Effects, Safety, and Tolerability of XXX Delayed-Release in Subjects with Type 2 Diabetes Mellitus

A Multiple dose trial examining dose range, escalation and efficacy of oral XXX in subjects with Type 2 Diabetes

A Phase III, Randomized, Active Comparator, Double-Blind, Multi-Center Study to Compare the Efficacy, Safety and Tolerability of XXX as Add-on Therapy to Metformin in Patients with Type 2 Diabetes

A Phase III, Randomized, Double-Blind, Placebo-Controlled, Phase 3 Study to Evaluate the Efficacy and Safety of Daily Oral XXX 25 mg and 50 mg Compared to Placebo When Used in Combination with XXX in Subjects with Type 2 Diabetes

A Phase III, Randomized, Double-Blind, Placebo-Controlled, Multi-Center Study to Evaluate the Efficacy, Safety and Tolerability of XXX in Patients with Type 2 Diabetes

A 26-week, multi-centre, multinational, open-label, 2-arm parallel, randomized, treat-to-target trial in insulin naïve subjects with T2DM inadequately controlled on a maximum tolerated dose or maximum dose according to local label of XXX in conjunction with XXX

A Phase III, 6-Month, Multicenter, Randomized, Open-label, Parallel-group Study Comparing the Efficacy and Safety of a New Formulation of XXX in Insulin-Naïve Patients with Type 2 Diabetes Mellitus not Adequately Controlled with Oral Antihyperglycemic Drugs with a 6-month Comparative Extension Period

***Epilepsy***

A Phase III Study that is Analyzing the Effectiveness and Safety of XXX Injections for Patients with Epilepsy that Receive Antiepileptic Drugs, but Still Experience Acute Repetitive Seizures (Bouts or Clusters of Seizures) that Require Treatment

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Double-Blind, Randomized, Historical Control Study of the Safety and Efficacy of XXX Monotherapy in Subjects with Partial Epilepsy Not Well Controlled by Current Antiepileptic Drugs to be Managed by XXX to Evaluate the Safety and Efficacy of an Investigational Product as Monotherapy in Subjects with Partial Epilepsy Unresponsive to Current Antiepileptic Drugs (AED) in Comparison to Historical- Pseudo -Placebo Control Groups

A Double-Blind, Randomized, Historical-Controlled, Multi-Center Efficacy and Safety Study of XXX as Monotherapy in Patients With Refractory Partial Seizures & An Open-Label Multi-Center Extension Study to Determine Long Term Safety and Efficacy of XXX as Monotherapy in Patients With Partial Seizures

***Irritable Bowel Syndrome***

A Phase III, Open-Label, Long-Term Safety and Tolerability Study of XXX in Patients with Irritable Bowel Syndrome with Constipation (IBS-C)

A Second Phase III, Randomized, 12-Week, Double-Blind, Placebo-Controlled Study of the Safety and Efficacy of XXX in Patients with Irritable Bowel Syndrome with Constipation (IBS-C)

A Phase III Study to Assess Repeat Treatment Efficacy and Safety of XXX in Subjects with Irritable Bowel Syndrome with Diarrhea (IBS-D)

A 12-Week, Randomized, Double-Blind, Placebo-Controlled Study of XXX in Subjects with Diarrhea-Predominant Irritable Bowel Syndrome

A Phase III Randomized, Double-blind, Placebo-controlled, Study to Evaluate the Efficacy, Safety, and Tolerability of XXX in the Treatment of Patients With Diarrhea-Predominant Irritable Bowel Syndrome

***Pain***

A Safety and Efficacy Evaluation of XXX Laxative in Adults Experiencing Non-Idiopathic Constipation

A Double-blind, Randomized, Placebo-controlled, 24-week, Phase III Study Recruiting Males Over the Age of 50 and Post-menopausal Females with Documented Knee OA and Moderate Knee Pain

A Randomized Withdrawal, Double-blind, Placebo-controlled Phase III Trial to Evaluate the Efficacy and Safety of XXX® Tablet, XXX, in Patients with Moderate-to-Severe Chronic Low Back Pain

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Phase III, Multicenter Long-Term Observational Study of Subjects from XXX Studies Who Undergo a Total Knee, Hip, or Shoulder Replacement

A Phase III, Randomized, Double Blind, Placebo and Active-Controlled, Multicenter, Parallel-Group Study of the Analgesic Efficacy and Safety of XXX in Adult Patients with Chronic Low Back Pain

A Phase III, Randomized, Double-blind, Placebo-controlled, Multicenter Study of the Analgesic Efficacy and Safety of a Dose Titration Regimen for the Subcutaneous Administration of XXX in Patients with Osteoarthritis of the Hip or Knee

An Open-Label Extension (OLE), Long-term Safety and Tolerability Study of XXX in Patients with Chronic Idiopathic Constipation (CIC)

A Randomized, 12-Week, Double-Blind, Placebo-Controlled Study to Assess the Safety and Efficacy of XXX in Patients with Chronic Idiopathic Constipation

A Randomized Double-blind, Placebo-controlled, Parallel-group, Multicenter, Phase III Study to Evaluate the Cardiovascular Safety of XXX for the Treatment of Opioid-induced Constipation in Subjects with Non-malignant Pain Receiving Opioid Therapy

A Phase III, Randomized, Double-blind, Placebo-controlled, Parallel-group Study of XXX in the Treatment of Opioid-induced Constipation in Subjects with Non-malignant Pain Receiving Opioid Therapy

A Phase III, 6-Month, Open-Label, Extension Study to Evaluate the Safety of XXX at 15 to 90 mg Every 12 Hours for Relief of Moderate to Severe Pain in Patients With Chronic Low Back Pain Who Require Opioid Treatment for an Extended Period of Time

A Multicenter, Randomized, Double-blind, Placebo-controlled, Phase III Study to Evaluate the Efficacy and Safety of XXX for the Treatment of Opioid-Induced Constipation in Adults Taking Opioid Therapy for Chronic Non-Cancer Pain

A Phase II Multicenter, Randomized, Double-Blinded, Placebo-Controlled Study Using a Bayesian Adaptive Design to Assess the Efficacy, Safety, Tolerability, and Serum Exposure of Multiple Doses of XXX in Subjects with Painful Lumbar Radiculopathy

A Phase III, 12-Week, Randomized, Double-Blind, Placebo-Controlled, Randomized-Withdrawal Study to Evaluate the Efficacy and Safety of XXX at 30 to 90 mg Every 12 Hours for Relief of Moderate to Severe Pain in Opioid-Experienced Patients With Chronic Low Back Pain Who Require Opioid Treatment for an Extended Period of Time

**CLINICAL RESEARCH EXPERIENCE** (*continued*):

A Multicenter, Randomized, Double-blind, Placebo-controlled, Phase III Study to Evaluate the Efficacy and Safety of XXX for the Treatment of Opioid-Induced Constipation in Adults taking Opioid Therapy for Chronic Non-Cancer Pain AND A Multicenter, Randomized, Double-blind, Placebo-controlled, Phase III Study to Evaluate the Long-Term Safety and Tolerability of XXX for the Treatment of Opioid-Induced Constipation in Adults taking Opioid Therapy for Chronic Non-Cancer Pain

A Phase III, Open Label Long Term Safety Study: An Open-Label Study to Assess the Long-Term Safety of XXX in Patients with Opioid-Induced Constipation (OIC)

A Randomized, Placebo-Controlled Trial of XXX Added to Nonsteroidal Anti-inflammatory Drugs in Patients with Knee Pain due to Osteoarthritis who have had Suboptimal Response to Nonsteroidal Anti-inflammatory Drug Treatment

A Randomized, Double-Blind, Parallel-Group Study of XXX vs. Oxycodone (IR) for the Treatment of Acute Low Back Pain

A Randomized, Double-Blind, Placebo Controlled, Parallel Group Study of XXX in Adult Migraineurs

A Randomized, Multi-center, Double-Blind, Parallel-Group Trial with Controlled Adjustment of Dose Assessing the Analgesic Efficacy and Safety of a New Analgesic Compared with Placebo in Subjects with Painful Diabetic Peripheral Neuropathy

A Phase IIb Repeat Dosing Clinical Trial of XXX in Subjects with Moderately Severe Diabetic Neuropathy

***Men's and Women's Health***

A Phase I, Randomized, Open-Label, Multicenter Study to Evaluate the Safety, Tolerability, and Pharmacokinetics of XXX (Test vs. Reference) Following Intramuscular Administration to the Gluteal Muscle in Healthy Female Subjects

A Phase III, Active-Controlled, Safety and Efficacy Trial of XXX Oral Testosterone in Hypogonadal Men

A Phase III, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Safety and Efficacy of XX in Subjects with Moderate to Severe Endometriosis-Associated Pain

A Phase III Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Effects of XXX on Bone Mineral Density (BMD) and Overall Safety in the Treatment of Osteoporosis in Postmenopausal Women Previously Treated with an Oral XXX

**CLINICAL RESEARCH EXPERIENCE (continued):**

A Phase IIb Study to Evaluate the Safety and Efficacy of XXX in Pre-Menopausal Women with Heavy Menstrual Bleeding associated with Uterine Fibroids

***Schizophrenia***

A Phase II, Multi-center Study with Open-label and Randomized Double-blind Placebo-controlled Withdrawal Phases to Evaluate the Efficacy, Safety, and Tolerability of XXX in Adults with Schizophrenia and Predominant Negative Symptoms who are Clinically Stable and taking Stable Doses of Atypical Antipsychotic Medication

A Single-Dose, Open-Label, Randomized, Parallel-Group Study to Assess the Pharmacokinetics, Safety, and Tolerability of XXX a 3-Month Formulation in Subjects with Schizophrenia

An Evaluation of the Long-Term Safety, Tolerability and Pharmacokinetics of XXX in Patients with Schizophrenia

A Phase IIa, Multi-center, Double-Blind, Randomized, Parallel Group, 4-Week Inpatient Treatment Study to Evaluate the Safety, Efficacy, and Pharmacokinetics of Two Fixed Doses of XXX Compared to Placebo, Using XXX as an Active Control, in the Treatment of Acute Exacerbation of Schizophrenia

A Long-Term Safety, Tolerability, and Effectiveness of XXX in Subjects with Schizophrenia or Schizoaffective Disorder: A Randomized, Active Comparator-Controlled Trial

A Long-Term, Open-Label, Multicenter Study of XXX Compared to Atypical Antipsychotic Standard of Care in Patients with DSM-IV-TR Schizophrenia

A 17-Week, Phase II, Multi-center, Randomized, Double-Blind Study of Treatment with XXX Combined with Standard of Care Compared to placebo Combined with Standard of Care in the Treatment of Patients with DSM-IV-TR Schizophrenia with Prominent Negative Symptoms

A 38-Week, Multi-center, Randomized, Double-Blind, Active-Controlled Study to Evaluate the Efficacy, Safety, and Tolerability of an Intramuscular Depot Formulation of XXX as Maintenance Treatment

A Multi-center, Double-Blind, Randomized, Placebo-Controlled, Study to Evaluate the Long-Term Efficacy, Safety, and Tolerability of an Intramuscular Depot Formulation of XXX in Patients with Schizophrenia

A Randomized Phase II, Double-Blind, Placebo-Controlled, Multi-center Study of XXX as Add-on Therapy in Outpatients with Persistent Negative Symptoms of Schizophrenia Treated with A Stable Dose of a Second-Generation Antipsychotic

**CLINICAL RESEARCH EXPERIENCE (*continued*):**

A Phase II, Double-Blind Placebo-Controlled Randomized Withdrawal, Multi-center, Safety and Efficacy Study in Adults with Predominant Negative Symptoms and Clinically Stable Schizophrenia who are Taking Stable Dose of Antipsychotic Medication

***Vaccine***

A Phase 1/2/3, Placebo-Controlled, Randomized, Observer-Blind, Dose-Finding Study to Evaluate the Safety, Tolerability, Immunogenicity and Efficacy of XXX Vaccine Candidates Against COVID 19 in Healthy Adults

A Phase II, 24-month, Multi-centre, Randomized, Double-blind, Placebo-controlled, Parallel group Amyloid Imaging Positron Emissions Tomography (PET) and safety vaccine study of XXX and XXX Adjuvant in Subjects with Mild to Moderate Alzheimer's Disease

A Phase Ib, Randomized, Controlled, Double-blind Trial to Evaluate the Safety and Immunogenicity of Multivalent Pneumococcal Conjugate Vaccines in Healthy Japanese Adults Aged 18 to 49 Years

***Other Indications***

A Phase II, Adaptive, Randomized, Placebo-controlled, Double-blind, Multi-center Study of Oral XXX , a Pyruvate Kinase Activator in Patients With Sickle Cell Disease

A Phase III, Randomised, Open-label, Comparative Safety and Efficacy Trial of Intravenous XXX and XXX in Subjects with Iron Deficiency Anaemia who are Intolerant or Unresponsive to Oral Iron Therapy or in whom the Haemoglobin Measurement in Investigators' Opinion were Sufficiently Low as to Require Rapid Repletion of Iron Stores to Minimize the Risk of Receiving a Blood Transfusion

A Randomized, Double-blind, Placebo-controlled, Multicenter, Phase II Study to Evaluate the Efficacy and Safety of 12 weeks of Treatment with Two Different Doses of Oral Study Drug as Compared to Placebo, Followed by a 12 week Open-label Treatment Period with Study Drug, in Patients with Moderate to Severe Active Crohn's Disease

A Phase IV 26-Week Randomized, Double-Blinded, Active Controlled Study Comparing the Safety of XXX Fixed Dose Combination Versus XXX Monotherapy in Adolescents and Adults With Persistent Asthma

A Phase II, Double-Blind, Placebo-Controlled, Randomized study to assess the Efficacy, Safety, and Tolerability of following Multiple Intravenous Doses in Hypercholesterolemic subjects on maximum dose of XXX or XXX

**ABSTRACTS AND PUBLICATIONS:**

“Plasma Sialyltransferase, Total and Iso-Enzyme Activity in the Diagnosis of Colon Cancer”  
Journal of Clinical Biochemistry, (1) 46-48 (1982) and XI International Congress of Clinical Chemistry

Clinical Researcher, University of California at San Diego, Study entitled: “Rates of Decline in Pulmonary Function Over a 20 Year Period” done on San Diego Firemen

“Development and Administration of an HIV/AIDS Screening Program” presented by invitation of the American Public Health Association at the 114<sup>th</sup> Annual Meeting, Sept 28 – Oct 2, 1986 in Las Vegas, Nevada

**PROFESSIONAL ORGANIZATIONS/MEMBERSHIPS:**

Member of American Academy of Family Physicians  
California Academy of Family Physicians, Long Beach Chapter  
American College of Occupational and Environmental Medicine (ACOEM)  
American Osteopathic Association  
Honorary member of Long Beach Police Officers Association  
Memorial Healthcare IPA